

## Streptavidin Conjugates

Fluorochrome	Reference	Size
FITC	STVF-50	50 µg
PE	STVPE-50	50 µg

### PRODUCT DESCRIPTION

**Reagent provided:** 50 µg (0,2 mg/ml)

**Tested application:** flow cytometry

**Storage instruction:** store in the dark at 2-8 °C

**Storage buffer:** aqueous buffered solution containing protein stabilizer and 0.09% sodium azide (NaN<sub>3</sub>).

**Recommended usage:** Streptavidin is recommended for use in flow cytometry for identification of Biotin.

**Presentation:** liquid

**Source:** protein isolated from the bacterium *Streptomyces avidini*.

**Purification:** Affinity chromatography.

Please, refer to [www.immunostep.com](http://www.immunostep.com) technical support for more information.

### WARRANTY

Warranted only to conform to the quantity and contents stated on the label or in the product labelling at the time of delivery to the customer. Immunostep disclaims hereby other warranties. Immunostep's sole liability is limited to either the replacement of the products or refund of the purchase price.

### MANUFACTURED BY



#### Immunostep S.L

Avda. Universidad de Coimbra, s/n  
Cancer Research Center (CIC)  
Campus Miguel de Unamuno  
37007 Salamanca (Spain)  
Tel. (+34) 923 294 827  
[www.immunostep.com](http://www.immunostep.com)