# Anti-Human CD29 (VJ1/14)



	$\Diamond$	Σ	REF	
	1 mg/ml	1 mg	29PU	PURE
	l μg/test	100 µg	29PU-01MG	PURE
RUO	20 μL/test	100 test	29F-100T	FITC
	20 μL/test	100 test	29PE-100T	PE
	20 μL/test	100 test	29A-100T	APC

#### PRODUCT DESCRIPTION

Clone: VJ1/14;

Isotype: IgG2b;

Tested application: flow cytometry;

Immunogen: The anti-CD29 monoclonal antibody derives from HUVEC cells TNF-

activated;

Species reactivity: Human;

Storage instruction: store in the dark at 2-8 °C;

Storage buffer: aqueous buffered solution containing protein stabilizer and 0.09% sodium azide (NaN $_3$ );

Recommended usage: Immunostep's CD29, clone VJI/14, is a monoclonal antibody intended for the identification and enumeration of human peripheral blood leukocytes suppressor/cytotoxic using flow cytometry. This reagent is effective for direct immunofluorescence staining of mouse human for flow cytometric analysis using 1 test for 10° cells;

Presentation: liquid;

Source: Supernatant proceeding from an in vitro cell culture of a cell hybridoma;

Purification: Affinity chromatography;

Other names: Integrin beta-1, Fibronectin receptor subunit beta, Glycoprotein IIa, GPIIA,

VLA-4 subunit beta; Gene ID: 3688:

Molecular weight: 130 kDa.

#### 2. ANTIGEN DETAILS

**Large description:** The VJI/14 monoclonal antibody reacts with human CD29, an integrin  $\beta$ I. CD29 complexes with one of nine integrin  $\alpha$  subunits to form the very late antigen (VLA) subfamily of adhesion molecules. CD29 is expressed broadly on lymphocytes, monocytes and granulocytes. <sup>[1-4)</sup>

## WARRANTY

Warranted only to conform to the quantity and contents stated on the label or in the product labelling at the time of delivery to the customer. Immunostep disclaims hereby other warranties.

Immunostep's sole liability is limited to either the replacement of the products or refund of the purchase price.

#### 4. ADDITIONAL INFORMATION

For research use only. Not for diagnostic use.

Not for resale. Immunostep will not be responsible of violations that may occur with the use of this product. Any use of this product other than the specified in this document is strictly prohibited.

Unless otherwise indicated by Immunostep by written authorization, this product is intended for research only and is not to be used for any other purpose, including without limitation, for human or animal diagnostic, therapeutic or commercial purposes.

Please, refer to www.immunostep.com technical support for more information.

### REFERENCES

5.

- Escribano L, Orfao A, Diaz-Agustin B, Villarrubia J, Cervero C, Lopez A, et al. Indolent systemic mast cell disease in adults: immunophenotypic characterization of bone marrow mast cells and its diagnostic implications. Blood1998 Apr 15;91(8):2731-6.
- Hynes RO. Integrins: versatility, modulation, and signaling in cell adhesion. Celli992 Apr 3:69(1):11-25
- Reimann KA, Waite BC, Lee-Parritz DE, Lin W, Uchanska-Ziegler B, O'Connell MJ, et al. Use
  of human leukocyte-specific monoclonal antibodies for clinically immunophenotyping
  lymphocytes of rhesus monkeys. Cytometryl 994 Sep 1:17(1):102-8.
- Sopper S, Stahl-Hennig C, Demuth M, Johnston IC, Dorries R, ter Meulen V. Lymphocyte subsets and expression of differentiation markers in blood and lymphoid organs of rhesus monkeys. Cytometry1997 Dec 1;29(4):351-62.

## 6. EXPLANATION OF SYMBOLS

	Form
REF	Catalog reference
$\sum$	Contains sufficient for <n> test</n>
$\Diamond$	Quantity per test
	Regulatory Status
RUO	Research Use Only
***	Manufacturer

## 7. MANUFACTURED BY:



#### IMMUNOSTEP S.L.

Address: Avda. Universidad de Coimbra, s/n Cancer Research Center (C.I.C)

Campus de Unamuno 37007 Salamanca (Spain) Telf./fax: (+34) 923 294 827

E-mail: info@immunostep.com

www.immunostep.com