





Anti-Human CD326 (VU-ID9) (EpCAM)

	REF			
PURE	326PU	1 mg	1 mg/ml	RUO
PURE	326PU-OIMG	100 µg	1 µg/test	
APC	326A-100T	100 test	20 µL/test	

1. PRODUCT DESCRIPTION

Clone: VU-ID9;
Isotype: Mouse IgG1, kappa;
Tested application: flow cytometry;
Immunogen: The anti-monoclonal antibody derives from Human small cell lung carcinoma cell line NCI-H69;
Species reactivity: Human;
Storage instruction: store in the dark at 2-8 °C;
Storage buffer: aqueous buffered solution containing protein stabilizer and 0.09% sodium azide (NaN₃);
Recommended usage: Immunostep's CD326, clone VU-ID9 is a monoclonal antibody intended for:
 Flow cytometry immunophenotyping: identification and enumeration of EpCAM antigen. This reagent is effective for direct immunofluorescence staining of human tissue for flow cytometric analysis using 1 test for 10⁶ cells.
 Exosomes detection: these products are effective for detection of exosomes in combination with #ExoStep Kit and #capture beads. For this application it will could be necessary to assay with different quantities;
Presentation: liquid;
Source: Supernatant proceeding from an in vitro cell culture of a cell hybridoma;
Purification: Affinity chromatography;
Other names: Ep-CAM, tumor associated calcium signal transducer 1, epithelial cell surface antigen, epithelial glycoprotein 2, EGP2, adenocarcinoma associated antigen;
Gene ID: 4072;
Molecular weight: 40 kDa.

2. ANTIGEN DETAILS

Large description: CD326 is a protein highly expressed in bone marrow, colon, lung, and most normal epithelial cells. It is expressed on carcinomas of gastrointestinal origin. Recently, it has been reported that CD326 expression occurs during the early steps of erythropoiesis. CD326 antigen is an immunotherapeutic target for the treatment of human carcinomas.^(1,2)

3. WARRANTY

Warranted only to conform to the quantity and contents stated on the label or in the product labelling at the time of delivery to the customer. Immunostep disclaims hereby other warranties.

Immunostep's sole liability is limited to either the replacement of the products or refund of the purchase price.

4. ADDITIONAL INFORMATION

For research use only. Not for diagnostic use.

Not for resale. Immunostep will not be responsible of violations that may occur with the use of this product. Any use of this product other than the specified in this document is strictly prohibited.






Unless otherwise indicated by Immunostep by written authorization, this product is intended for research only and is not to be used for any other purpose, including without limitation, for human or animal diagnostic, therapeutic or commercial purposes.

Please, refer to www.immunostep.com technical support for more information.

5. REFERENCES

- Munz M, Kieu C, Mack B, Schmitt B, Zeidler R, Gires O. The carcinoma-associated antigen EpCAM upregulates c-myc and induces cell proliferation. *Oncogene* 2004 Jul 29;23(34):5748-58.
- Rao CG, Chianese D, Doyle GV, Miller MC, Russell T, Sanders RA, Jr., et al. Expression of epithelial cell adhesion molecule in carcinoma cells present in blood and primary and metastatic tumors. *Int J Oncol* 2005 Jul;27(1):49-57.

6. EXPLANATION OF SYMBOLS

	Form
REF	Catalog reference
	Contains sufficient for <n> test
	Quantity per test
	Regulatory Status
RUO	Research Use Only
	Manufacturer

7. MANUFACTURED BY:



IMMUNOSTEP S.L.
Address: Avda. Universidad de Coimbra, s/n
 Cancer Research Center (C.I.C)
 Campus de Unamuno
 37007 Salamanca (Spain)
Tel./fax: (+34) 923 294 827
E-mail: info@immunostep.com
www.immunostep.com